hydrobiologia volume 310 (1995), contents

no. 1

The cyclopid (Crustacea, Copepoda) fauna of the inland waters of Israel. 1. First data from semi-arid and arid regions
by D. Defaye & B. Dussart 1–10

The cyclopid (Crustacea, Copepoda) fauna of the inland waters of Israel. 2. Preliminary note on the genus *Mesocyclops* (Cyclopoida, Cyclopidae), with description of a new species
by D. Defaye 11–18

Metal content of some green and brown seaweeds from Antikyra Gulf (Greece)
by P. Malea, S. Haritonidis & T. Kevrekidis 19–31

Distribution of the phytoplankton from the Guri Reservoir (Venezuela)
by T. Vegas-Vilarrúbia 33–46

Seasonal changes of subantarctic benthic bacterial communities
by D. Delille 47–57

Predicting the summer chlorophyll *a* concentration in a reservoir based on the environmental conditions of the preceding spring
by H. Kagawa & H. Hirotani 59–70

Lifetime egg production and egg mortality in the damselfy *Pyrrhosoma nymphula* (Sulzer) (Zygoptera: Coenagrionidae)
by S. Bennett & P.J. Mill 71–78

Leptepsilonema santii sp.n. from Spain and data on the variability of *L. filiforme* (Nemata, Epsilonematidae)
by N. Gourbault & W. Decraemer 79–86

no. 2

Vertical distribution and diel migration of rotifers in a Parana River floodplain lake
by S.J. de Paggi 87–94

Combined effect of the insecticide carbaryl and the *Chaoborus* kairomone on helmet development in *Daphnia ambigua*
by T. Hanazato 95–100

Chitin production by *Ampelisca* (Amphipoda) populations from a fine sand community in the Bay of Morlaix (English channel)
by M.-F. Voss-Foucart, J.-C. Dauvin & C. Jeuniaux 101–106

Marine gastrotrichs from the sand beaches of the northern Gulf of Mexico: species list and distribution
by M.A. Todaro, J.W. Fleeger & W.D. Hummon 107–117

Keratella mexicana sp. nov., a new planktonic rotifer from Aguascalientes, Mexico
by L.A. Kutikova & M. Silva-Briano 119–122

Groundwater–surface water ecotones at the upstream part of confluences in former river channels
by G. Bornette & A.R.G. Large 123–137
Population dynamics and food of bleak (*Alburnus alburnus* L.) in the littoral zone of Lake Balaton, Hungary
by P. Bíró & I.B. Muskó 139–149
The freshwater planarian *Dugesia sicula* Lepori from Sardinia (Platyhelminthes, Tricladida)
by M. Pala, R.A. Vacca, S. Casu & G. Stocchino 151–156
Occurrence of *Diaphanosoma excisum* (Sars) on a sandy beach at Balramgari (Orissa), India
by A. Chatterji, Z.A. Ansari, J.K. Mishra, P. Rattan & A.H. Parulekar 157–161

no. 3
Spring zooplankton distribution and production of the copepod *Euterpina acutifrons* in Marennes-Oléron Bay (France)
by B. Sautour & J. Castel 163–175
Changes in ^{13}C content of the organic component of lake sediments during the last 500 years in Crawford Lake, South Ontario, Canada
by X. Han & M. Dickman 177–187
Distribution and population dynamics of ostracodes (Crustacea, Ostracoda) in a karstic lake: Lake Banyoles (Catalonia, Spain)
by M. Rieradevall & J.R. Roca 189–196
Seasonality, abundance, and microhabitat distribution of meiofauna from a Chickahominy River, Virginia tidal freshwater marsh
by D.J. Yozzo & D.E. Smith 197–206
Salinity effects on macroinvertebrate assemblages and waterbird food webs in shallow lakes of the Wyoming High Plains
by W.M. Wollheim & J.R. Lovvorn 207–223

Books received 225–226

Book reviews 227–230

Corrigenda 231

Author index 233

Announcement 234